



#### KEMENTERIAN PENGAJIAN TINGGI





ZALINA CM, NOOR AMZ, N FARAHIAH Z

# DO YOU REALLY KNOW About Fish?

Zalina Binti Che Manan Noor Aisyah Binti Mohd Zahari Nur Farahiah Binti Zakaria

> POLITEKNIK JELI, KELANTAN

# DO YOU REALLY KNOW About Fish?

Diterbitkan Oleh: Politeknik Jeli Kelantan Jalanraya Timur-Barat 17600 Jeli Kelantan

Emel: zalinacm@pjk.edu.my aisyah.zahari@mohe.gov.my farahiah@pjk.edu.my

Terbitan pertama 2021

Hak cipta terpelihara. Tidak dibenarkan mengeluar ulang mana mana bahagian teks, ilustrasi dan isi kandungan buku ini dalam apa bentuk jua dan dengan apa cara jua sama ada secara elektronik, fotokopi, rakaman atau cara lain kecuali dengan dengan keizinan bertulis daripada pemegang hak cipta.

#### P R <u>e f a</u> c e

The highest gratitude is extended to the Almighty for our permission and opportunity to complete this e-Book: Do You Really Know About Fish.

This e-Book is published as reference material for students and lecturers, especially those involved in the field of aquaculture.

No words can be uttered to express our gratitude to all those involved in the making of this book especially the family, colleagues, and the secretariat who tirelessly give guidance and trust.

Hopefully, this e-Book will benefit the reader no matter where it is accessed.

#### THANK YOU

#### DO YOU REALLY KNOW ABOUT FISH TABLE OF CONTENTS

# C O N T E N T

GENERAL DIMENSION

FISH EXTERNAL ANATOMY 05-14

FISH MOUTH TYPES

| 04 | FISH BODY SHAPE<br>21-29 |
|----|--------------------------|
| 05 | FIN OF FISHES<br>30-41   |
| 06 | SCALE OF FISHES<br>42-52 |

iv

GENERAL DIMENSION OF EXTERNAL PART IN FISH

## GENERAL DIMENSION OF EXTERNAL PART IN FISH

#### FISH

Fish has diverse forms and many with special modifications. The unique of shape, vary size, colour, and structure of body parts permit different fishes to live in different environments or in different parts of the same environment.

DO YOU REALLY KNOW ABOUT FISH?

DIMENSION OF EXTERNAL PART IN FISH

General dimension is anatomical positions that are used to give an idea of where on the body a feature can be located. In simple way to comprehend this is just like using a map of determining north, south, east and west direction or orientation. Table below 1.1 defines common anatomy terms, Figure 1.1 shows the anatomical position of Tilapia fish, Oreochromis species while Figure 1.2 shows the orientation on three different animals.

#### Table 1.1 Common anatomy terms.

| Anterior  | front end / head end (used to say something is closer to the head) |
|-----------|--------------------------------------------------------------------|
| Posterior | back end / tail end (used to say something is closer to the tail)  |
| Dorsal    | upper surface                                                      |
| Ventral   | lower (belly) or bottom surface                                    |
| Lateral   | side of the body                                                   |
| Median    | centre / middle of body                                            |



Figure 1.1 Anatomical position of Tilapia fish



Figure 1.2 Common dimension terms applied to a billfish, a horse and a human.



## The Attractive View of Fish Species

each picture of view give different value of satisfaction and joy







GENERAL DIMENSION OF EXTERNAL PART IN FISH

## **FISH EXTERNAL ANATOMY**

Fish are cold-blooded, have fins and a backbone. Most fish have scales and breathe with gills. Many fishes are associated with a fusiform body shape (torpedo-like). Although fish have different appearances among the species, yet the external part (anatomical features) play a similar function to their body. The external anatomical features found in fish are well suited for the survival adaptation surrounding their habitat such as for searching food and protecting itself from predators.

It could tell us a lot about a species.

#### GENERAL DIMENSION OF EXTERNAL PART IN FISH



External morphology of a fish

# Snout

It is the elongated part at the mouth area of the fish that includes rostrum, beak or nose.

# Nostril

The nostril are located on the snout near to the fish mouth. The nostril of the bony fish are most dorsally while the shark and skates are ventrally. Paired nostrils or nares in fish are quite sensitive, it is function to detect odors in water. The species of eel and catfish have particularly well developed senses of smell. It is not for breathing purpose because it do not communicate to the fish mouth.

There are two nostrils, one to let water enter the nasel cavity (called the anterior nostril) and one to let water exit the cavity (the posterior nostril)

The main organ of smell that fish rely on is located inside the nostrils located on the snout of fish between the eyes and the mouth

If you look closely at the base of this nostril you can see the folded skin of the rosette. This is packed with delicate sensors that can detect tiny traces of smell at large in the water

www.anglingtimes.co.uk (Accessed on 1 August 2021)

#### **REALLY KNOW ABOUT FISH?**

ERAL DIMENSION OF EXTERNAL PART IN FISH

# Gill Cover

GEN

The gills are the breathing organ that fish use to obtain oxygen from the water . Gill cover or operculum is a flexible bony plate that covers and protects the sensitive gills. Water enters through the mouth, passes over the gills and exits through the operculum.

# Barbel

10

As stated from leisurepro.com, barbels are a whisker like organ found near the mouth of certain fish. These organs are sensory organs that help the fish locate food in murky waters, acting as taste buds or nostrils. Most fish possessing barbells are bottom dwelling fish such as catfish, carp, goatfish and some sharks, that primarily hunt, or scavenge for food in murkier waters, such as sea beds, or lakes. Barbels may be vary located on the head of a fish.



Lateral line is a series of sensory cells usually situated at the side along the length of the body. It is a mechanosensory organ functions in receiving low frequency vibrations that can sense movement on the water. It consist of neuromast (a sensory cell with a hir-like process capable of detecting motion or vibrations in the water.



# ADIPOSE FIN

Adipose fin is a small fleshy fin found posterior to the dorsal fin and anterior of the caudal fin. It is only found on few fish (trout, salmon, catfish). It was named so as thought to hold fat, or adipose tissue (Sandeep Raghuvanshi, 2015).



#### **KEEL**

13

It is a lateral ridge located at anterior to each side of peduncal caudal fin. for some types of fast-swimming fish. It helps fish to improve stability of fish when speeding in the water as well as strengthen the support of caudal fin (Wicktionary,2021).

Pair of keels

Pair of keels

Median keel



## FINLET

Finlet is a small non retractable fins that located on dorsal and ventral side of peduncal caudal fin in some fishes such as tuna (FAO,2019). The main function of finlets is to help fish speeding by cutting water.



# FISH MOUTH TYPES

Have you ever wondered what the types of mouth that fish have?

The mouth is one of the most important parts of the body for survival where food intake occurs.

Studying fish mouths is crucial in revealing much about fish and its habit. Mouth position and shape size are all related to what fish do.

Generally, fish have several types of the mouth including terminal, inferior, and superior.

FISH MOUTH TYPES

Most fish are categorized as terminal mouth type, where the mouth is located at the end of snout with both jaws the same length.

The terminal mouth fish species are generally pelagic water feeders. They are also known as omnivorous fishes when eating anything that is available [4]. Their diet primarily consists of other fish along with some squids, the occasional crustacean as well as algae and aquatic plants.

Tunas, mackerels, tetras, and barbs are examples of fish species with terminal mouth types.



## TERMINAL

FISH MOUTH TYPES

#### INFERIOR

#### FISH MOUTH TYPE

Fish with inferior mouth structured are also known as sub-terminal fish mouth types.

## INFERIOR mouth

structure is located at the ventral part of the head where the lower jaw is shorter than the upper jaw. Inferior fish mouths normally bottom feeders. They eat foods on the bottom of the body or on the seafloor. Their diets most of the time are benthic organisms such as crustaceans or shellfish [3].





FISH MOUTH TYPES

#### S U P E R I O R

Superior mouth structure is facing upwards or slightly upturned. The lower jaw is longer than the upper jaw and functions much like a scoop. Normally, the superior fish mouth species eat food at or near the surface.

FISH MOUTH TYPES

Tarpon | Flickr by Arie Eliens

SUPERIOR

Usually, surface oriented fish lie-in-wait for prey to appear above them, then strike suddenly from below [1]. Their diet normally includes insects but some may feed other fish or other prey items that reside on or near the surface. Tarpons, Betta fishes, and Arowanas are examples of superior fish mouth types.





Marble Hatched | Flickr by threefingeredlord

FISH BODY SHAPE

91

# FISH BODY SHAPE

Fish have several types of body shapes that different from one fish to the other which suited to its way of life. Generally, there are 8 types of fish body shape.

> A N G UILLIFOR M C O M P R E S SIFOR M D E P R E S SIFOR M FILIFOR M FUSIFOR M G L O B I F O R M S A G I T T I F O R M T E A N I F O R M

#### ANGUILLIFORM

The body shape that is long and skinny that looks like a snake which enable fish to move into narrow openings and it is resist forces of current. Examples: Eel (Monopterus albus) and Lamprey (Lampetra eppendix).



#### C O M P R E S S I F O R M



Discus Fish | Pinterest by Neluka Malla

DO YOU REALLY KNOW ABOUT FISH?

BODY SHAPES

Compressiform body shape is fish laterally compressed which allows for quick burst of speed, quick turns and enable fish to move along crevies.

Examples: Discus (Symphysodon aequifasciatus),

Tilapia (Oreochromis niloticus)

Longfin Batfish | Pinterest by Ona Lisa

FISH BODY SHAPES

#### DEPRESSIFORM

Body shape is horizontally compressed which enable fish to stay at the bottom. Examples: Stingray,Rajidae, Ogcocephalidae.

Gulf Flounder | Pinterest by ginger boyd

FISH BODY SHAPES



#### FILIFORM

Body shape that is skinny and elongated with thread like shape.

These fishes normally slow swimmers, slither through the water like a snake, live in soft mud, sand or under rocks. Examples: Snipe ell, Pipefishes.

Pipe Fish | Pinterest by Suzy Cameron

FISH BODY SHAPES

#### FUSIFORM

Torpedo like shape body with streamlined pointed ends which low frictional resistance and enable fish to move fast. Generally most fish have a fusiform body. Examples: Tuna, Mackerel

FISH BODY SHAPES

#### GLOBIFORM

Globiform fish are round like a globe in shape and typically slow swimmers in the ocean. Example: Puffer, Tetraodontidae, Pacific Spiny Lumpsucker.

#### S A G I T T I F O R M

Sagittiform is an elongated tubular body layout that is arrowlike in shape. They are known as predator with predator which depend on an ability to strike prey quickly from a hiding place. Examples: Pike Fish, Gar, Esocidae.



FISH BODY SHAPES

#### TAENIFORM

Teaniform body shape that is long and laterally compressed with a ribbon-like shape. Examples: Ribbonfish, Trachipteridae.



# FIN OF FISHES

Fins are important in every fish. Generally, fins are flap-like structure that is involved in fish movement that consist of rays. There are two types of fins, which is median and paired. Median fins or unpaired fins (Dorsal fin, Caudal fin and Anal fin) function in stabilization and thrust (caudal fin) in movement. Paired fins (pectoral fin and pelvic fin) function in maneuvering (changing direction), aggressive behavior and braking.

## **MEDIAN FINS**

Median fins or unpaired fins (Dorsal fin, Caudal fin and Anal fin) function in stabilization and thrust (caudal fin) in movement.



#### PAIRED FINS

Paired fins (pectoral fin and pelvic fin) function in maneuvering (changing direction), aggressive behavior and braking.





Dorsal fin located on the top or back of the fish which help the fish to stop or quick turn and also avoid the fish from rolling. Some fishes have spiny and soft dorsal fins combined togethter.

# DORSAL FIN

# CAUDAL FIN

Caudal fin is generally called as tail. It is located at the most posterior region of the body which helps in acceleration movement. The shape of the caudal fin indicates the style of motion for a fish. Generally, there are five types of caudal fin; rounded, truncate, emerginate, forked, and lunate.



#### ROUNDED

It is used for slow swimming, accelerating, and maneuvering. Examples: Catfish, Turbot, and Leman-Sole.

#### EMERGINATE

It is used for quick acceleration and offers high maneuverability. Examples: Trout, Carp, and Perch.







#### LUNATE

It is thin, hard and less drag to water allows the fish to speed in open water. Examples: Tuna, Mahi-mahi.



#### FORKED

It is great swimmer at high speeds similar to those possessing a lunate fin. Examples: Herring, Mackerel.





#### TRUNCATE

It is generally found in many benthic fishes. It have large amount of surface area that can generate large amount of drag. Examples: Grouper.



# PECTORAL FIN



Pectoral fins are located on both sides of the body usually behind the operculum which supports during swimming also helps the fish to turn left and right. Pelvic fin located on the ventral (bottom) part of the body which helps fish in swimming as aerofoil, brake, propulsor, and rudder, for ground walking and hovering. Some are spined for protection, contain gases, and be used for floatation, sensory perception, camouflage, a holdfast organ and reproduction.

# **PELVIC FIN**

ANAL FIN

It is also located on the ventral side just behind the anus that is used for stabilization of fish during swimming and control rolling motion.



Fish scales are bony structure that are located outside the fish. The main functions of the scales are as an external protection to the fish, give colors, support the body structure of the fish, assist in fish movement and use in age determination by squamatologist.

Fish scales evolve differently in cartilaginous and bony fish. In some fish, scales are modified becoming hard spines, exoskeleton and bony plates. Some fish does not have scales like catfish. Generally, there are FOUR types of scales:

- A. Placoid
- B. Ganoid
- C. Cycloid
- D. Ctenoid





# PLACOID SCALES

Placoid scales commonly found in cartilaginous fishes. It has a structure similar to a tooth (enamel) that consist of basal plate located at the base of the scale. It has a pulp cavity and dentin.





## **PLACOID SCALE**

The outer part of the scales are covered with enamel. The spine in rays is a modified placoid scale. Examples: Sharks and rays.





## GANOID SCALE

Ganoid scales are not arranged in layers or partly layered. They are diamond shape (rhomboid). The anterior structure overlaps with the other scale. Its structure is hard an not flexible.





The outer layer is a bony structure called Ganoine (a component similar to enamel). The middle layer consist of dentine. The bottom layer consist of cosmine layer. It can be found in Lepisosteidae amd Amiidae. Examples: Gars, Birchirs, Sturgeons



# BONY RIDGE

CYCLOID & CTENOID

48

These scales are thin, and piercing. It does not have enameloid and dentinal layer. This type of scales is found in most living bony fish (Osteichthyes). They are overlapping which allow for greater flexibility in movement than other types of scales such as ganoid scales.



# CYCLOID SCALE

Cycloid scales are rounded/oval shape, flat and thin. Flexible bony structure that covered by epidermis layer which contain mucus gland.





Normally, cycloid scale presence of circuli (growth ridges) and enamel layer. It is mostly found in Teleostei. Examples: Tilapia, Arowana.



# grooves

## CTENOID SCALE

Ctenoid scales have a similar structure with cycloid scale but with a presence of a set of fine teeth along the posterior edge. Sometimes, both cycloid and ctenoid scales are called elasmoid scales.

Ctenoid scale consist of 2 main layers:

- 1. Outer layer (calcified layer-hard structured)
- 2.Inner layer (Fibrous layer-collagen type)



Ctenoid scales contain a structure called Ctenii (series of small spine that looks like a comb) that protrudes at the posterior end of the scale to increase swimming efficiency and makes the skin feels rough.





# **OUR TEAM**

## REFERENCES

Abby on August 22, 2014. caudal peduncle. Fishionary(2021). Retrieved from https://fishionary.fisheries.org/caudal-peduncle/ (accessed on 26 July 2021)

Abby on January 29, 2016. scute. Fishionary(2021). Retrieved from https://fishionary.fisheries.org/tag/scute/ (accessed on 19 July 2021)

AnglingTimes. Retrieved from https://www.anglingtimes.co.uk/advice/tips/understanding-afishs-sense-of-smell/ (accessed 1 August 2021)

AquaFood. Retrieved from https://www.aquafood.co.uk/product/pimelodus-pictus/ . (accessed on 27 July 2021) Brian shaw. 20 June 2013. Moribund sea trout. Spey Fishery Board 2019. Retrieved from https://www.speyfisheryboard.com/moribund-sea-trout/ (accessed 1 August 2021)

Department of Agriculture and Fisheries. Retrieved from https://www.daf.qld.gov.au / (accessed on 1 August 2021)

Description of external and internal anatomy, organ and body part functions. SeaWorld Parks & Entertainment. Retrieved from https://seaworld.org/animals/all-about/bony-fish/characteristics/ . (Accessed on 19 July 2021)

DK tunes. Retrieved from https://www.dkfindout.com/uk/dinosaurs-and-prehistoric-life/prehistoric-fish/long-snouted-fish/. (accessed on 27 July 2021)

Earthlife. Retrieved from https://www.earthlife.net/fish/latline.html. (accessed on 27 July 2021) Fish Identification Guide: Fish Anatomy Part II. AquaViews Online Scuba Magazine. Retrieved from https://www.leisurepro.com/blog/explore-the-blue/fish-identification-guide-fish-anatomy-partii/. (Accessed on 19 July 2021)

Florida Fish and Wildlife Conservation Commission. 18 July 2021 . Retrieved from Freshwater Fishing Tips | FWC (myfwc.com)/ (accessed on 1 August 2021)

## REFERENCES

Freshwater Fishing Tips, External Fish Anatomy. Florida Fish and Wildlife Conservation Commission. Retrieved from https://myfwc.com/fishing/freshwater/fishing-tips/ . (Accessed on 19 July 2021)

Instructables cooking. Retrieved from https://www.instructables.com/How-to-Clean-a-Fish-2/ (accessed on 1 August)

Kim Maeng Jin, Kim Byung Yeob, Kim Joon Sang, Song Choon Bok. 2012. Two Unrecorded Species of the Snapper (Perciformes: Lutjanidae) Collected from Jeju Island, Korea. Fisheries and aquatic sciences Volume 15, Issue4, p313~316, 31 Dec 2012.

Koaw, LC. (2016). How To Measure A Fish. Nature Science & Outdoors Activities. Retrieved from https://www.koaw.org/about (accessed on 19 July 2021)

Leopard Corydoras (Corydoras Trilineatus). Retrieved from https://aquadiction.world/species-spotlight/leopard-corydoras/ / (accessed on 1 August 2021)

Lewis Price and Danny Harper. HOW TO HANDLE PIKE: UNHOOKING & HOLDING PIKE. Retrieved from https://badangling.com/pike/how-to-handle-pike-unhooking-holding-pike/ (accessed on 1 August 2021)

Madeline. 10 February 2015. Fishy Fact no 19. Divers Who Want To Learn More. Retrieved from https://diverswhowanttolearnmore.wordpress.com/2015/02/10/fishy-fact-no-19/ (accessed on 1 August 2021)

Jurisch-Yaksi. Nathalie 22 Retrieved from April 2020. https://twitter.com/nathaliejuya/status/1252668454806663168 (access on 1 August 2021) Department Environmental **Conservation.** etrieved from New York State. of https://www.dec.ny.gov/. (Accessed on 19 July 2021)

Sam Lucas. Sanibel Sea School. https://www.sanibelseaschool.org/experience-blog/2020/6/17/learn-about-the-lateral-line. (accessed on 27 July 2021)

SandeepRaghuvanshi.2015.AquaticNation.org.Retrievedfromhttp://aquaticnation.org/library/Lib\_Gen\_Fishbodypart01.php (accessed on 19 July 2021)

## REFERENCES

South Carolina Department of Natural Resources. Retrieved from https://www.dnr.sc.gov/fish/anatomy.html (accessed on 25 July 2021)

Tesfamichael, A., Mostarda, E. and Psomadakis, P.N. 2019. Pocket guide to important coastal fishery species of Eritrea. FAO, Rome.

The spruce pet. Retrieved from https://www.thesprucepets.com/fish-mouth-types-1381813 (accessed on 27 July 2021)

VirginiaInstituteofMarineScience.Retrievedfromhttps://www.vims.edu/research/departments/fisheries/programs/sharks/anatomy/index.php(accessed 27 July 2021)

Wicktionary.org. Retrieved from https://en.wiktionary.org/wiki/caudal\_keel . (Accessed on 19 July 2021)

Wikimedia.commons.Retrievedfromhttps://commons.wikimedia.org/wiki/File:Fish\_Caudal\_Peduncle.jpg (accessed on 26 July2021)Wikiwand . Retrieved from https://www.wikiwand.com/en/Barbel\_(anatomy) (accessed on27 July 2021)



